



ZIMMERMAN & LEVI, L.L.P.

INTELLECTUAL PROPERTY ATTORNEYS
226 ST. PAUL STREET
WESTFIELD, NEW JERSEY 07090

TEL: (908) 654-8000
FAX: (908) 654-7207

AF/2700

2672

WRITER'S E-MAIL
jean-marc@zimmermanlevi.com

November 27, 2002

Commissioner of Patents and Trademarks
Washington, D.C. 20231

Re: U.S. Patent Application Serial No. 09/823,793 for
Foveation-Based Error Resilience Algorithm
IDS No. 122896, Lee 1-17

RECEIVED

DEC 06 2002

Technology Center 2400

Dear Sir:

Enclosed please find the following items:

1. an Amendment in response to the Office Action received in connection with the above-identified patent application; and
2. a stamped, self-addressed postcard.

Kindly stamp and return the postcard to the undersigned upon receipt in the Patent Office of the foregoing items.

Respectfully submitted,

Jean-Marc Zimmerman
Registration No. 36,978

JMZ/hz
enclosure



CERTIFICATE OF MAILING

I hereby certify that on November 27, 2002, I caused the Amendment for U.S. Patent Application Serial No. 09/823,793 be mailed by first class mail to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Jean-Marc Zimmerman
Jean-Marc Zimmerman

RECEIVED
DEC 06 2002
Technology Center 2600



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Lee et al.

Group Art Unit: 2672

Serial No. 09/823,793

Examiner: Jeffery Brier

Filed: March 30, 2001

Date: November 26, 2002

For: FOVEATION-BASED ERROR
RESILIENCE ALGORITHM

Attn: Box AF
Assistant Commissioner of Patents
Washington, D.C. 20231

RECEIVED

DEC 06 2002

AFTER FINAL RESPONSE

(37 CFR 1.116)

AMENDMENT AND REQUEST FOR RECONSIDERATION

Technology Center 2100

Sir:

This Response is submitted in response to the Office Action received in connection with the above-identified application.

IN THE SPECIFICATION:

Please amend the specification as follows shown in clean form. The "Marked up Version" of the amendment pursuant to 37 C.F.R. 1.121(b)(1)(iii) is not required.

Clean Form of the Amendment

On page 13, after line 15, please insert the following new paragraph:

--A return error signal is transmitted to the transmitter for changing the foveation point.--